



● Black

● Blue

● Nado Grey

TECHNICAL INFORMATION

Homologation	L3e-A1 (comparable to a 125cc.)		
Engine	VMOTO	Weight	143 kg
Rated power	8000 W	L*W*H	2012 mm*780 mm*1100 mm
Maximum power	15000 W	Wheelbase	1373 mm
Battery model	ATL softcore battery	Ground Clearance	175 mm
Battery capacity	72 V/100 Ah	Seat Height (R point)	830 mm
Charging time	5/6 h (optional 2.5 h charger)	Tires	Fr. 110/70-17 Rr. 140/70-17
Charging power	1440 W	Suspension	Hydraulic damping system
Autonomy	180 km* (Not confirmed)	Brakes	ABS (Fr. Rr. disc)
Max speed	> 120 km/h (Not confirmed)	Colors	Blue, Black (Not confirmed), Nado Grey
Climbing angle	24°		

*WMTC Stage 3

Warning: The photos and technical information in this catalogue may refer to prototypes subject to modifications during production and are purely for illustration and reference purposes, and are therefore not binding on Vmoto International. Vmoto cannot be held responsible for any print and/or translation errors. This catalogue is transnational and therefore some products may not be available and/or their features may vary in accordance with local laws. Not all colours and versions are available in each country. Vmoto reserves the right to make changes and improvements to any product without obligation of prior notice or to make such changes to products already sold. Further characteristics of the products are contained in the pertinent owner's manuals. The products represented are not definitive versions and are therefore subject to significant changes at Vmoto's discretion without prior notice. The photographs published in this catalogue show only professional riders under controlled street conditions. Do not attempt to imitate such riding behaviour as it could be dangerous for you or other people on the road. This catalogue, including but not limited to the trademarks, logos, texts, images, graphics and table of contents herein, constitute Vmoto intellectual property, or in any event Vmoto has the right to reproduce it; any reproduction, modification or other whole or partial use of the catalogue or its contents, including publication on the internet without the prior written consent of Vmoto, is prohibited. Actual battery consumption may vary based on many factors, including but not limited to riding style, maintenance performed, weather conditions, surface characteristics, tyre pressure, load, weight of the rider and the passenger, accessories. The weights in running order are considered with all operating fluids, standard equipment and battery. For more information visit www.Vmotosoco.com.

April 2023

Vmoto Limited

Level 48, 152-158 St Georges Terrace
Perth Western Australia 6000, Australia

Vmoto Soco International

15, Zhongxing East Road - Lishui Economic Development Zone
Lishui District, Nanjing 211200 - Jiangsu Province, China

Vmoto Europe

Boekweitstraat 95-97, 2153 GK
Nieuw Vennep, The Netherlands



Official
Electric Scooter
Supplier

Vmoto Soco Italy

Viale Fratelli Casiraghi, 427
20099 S. San Giovanni
Milan District, Italy